


Catalogue **2012**

Contents

Power Modules	Contour	4	Horizon	14
	Elite+ Power	5	Affintiy	14
	Elite+ Data	6	Eclipse	15
	Elite Power & Data	6	Shuttle	15
	USB/Bluetooth Hub	10	Harmony	16
	Conti Connect	11	Wedge	17
	Footprint	13		
Ergonomics	Aiir Gas Assisted Arm(s)	18	Aspect Double Pole Arm	25
	Motion Pole Arm(s)	20	Vision Pole Arm	26
	Double Motion Pole Arm(s)	22	Double Vision Pole Arm	26
	400mm Motion Pole Arm(s)	23	Vision Laptop Support	27
	Cygnus Flat Screen Arm	24	Ecolight	27
	Aspect Pole Arm	25		
Cable Mang'	Spiral Cable Spine	28	Unicon Cable Basket	29
	Cableway & Raceway Cable Spine	28	Fusion & Premium Cable Basket	30
	Zip It Cable Tidy	29		
CPU Support	Snug CPU Support	31	CPU Ladder	32
	Embrace CPU Support	31	Spin CPU Holder	32
	Enclose CPU Support	31	CPU Cradle & Trolleys	33
Accessories	Cables & Connectors	34	Cable Eater	37
	Cable Locking Clips, Connectors, Blanking Plugs & Earth Leads	35	Hi-Tech Desk Grommet	37
	Trunking, Clips & Clamps	36	Fuses	38
			C-Clamps	38

Contour power module

We are very pleased to announce the launch of our new stylish plastic desk power module – Contour. Contour has a more modern, curved appearance displaying many design features like our new lateral fuse carrier, internal segregation between power and data with the added benefit of being installed to a slatwall/tool rail or flush to a screen/edge of desk, making it functional yet non-intrusive to the working desk. Comes complete with plastic clips on the covers so there are no visible fixing screws and fully compliant to current safety regulations.



Also available in black




Grey Code	Black Code	Description
94PS01	94PS04	2 x power sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug.
94PS03	94PS06	4 x power sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug.
94US01	94US03	2 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug and 3m data lead.
94US02	94US04	4 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug and 3m data lead.

Please note that the maximum size is 6 gang.

Adhesive Fixing Kit

Adhesive Kit, 1 Kit required per module


Code
440006



'C' Clamp - Standard

2 x 'C' Clamps recommended for any modules with 2 sockets.

Code
440005



Elite+ power module

Welcome to Elite+

Our next generation of underdesk and cable tray mounting power modules have arrived.

Available in UK
Sockets only.

Code	Description
92K005	2 x power sockets individually fused 3.15A with male 3 Pole Connector input & female 3 Pole Connector output. EW
92K011	2 x power sockets individually fused 5A with male 3 Pole Connector input & female 3 Pole Connector output. EW
92K006	2 x power sockets with neon switches individually fused 3.15A with male 3 Pole Connector input & female 3 Pole Connector output. EW
92K012	2 x power sockets with neon switches individually fused 5A with male 3 Pole Connector input & female 3 Pole Connector output. EW
92K007	3 x power sockets individually fused 3.15A with male 3 Pole Connector input & female 3 Pole Connector output. ENW
92K013	3 x power sockets individually fused 5A with male 3 Pole Connector input & female 3 Pole Connector output. ENW
92K002	4 x power sockets individually fused 3.15A with male 3 Pole Connector input & female 3 Pole Connector output. ENNW
92K008	4 x power sockets individually fused 5A with male 3 Pole Connector input & female 3 Pole Connector output. ENNW
92K004	4 x power sockets individually fused 3.15A with male 3 Pole Connector input & female 3 Pole Connector output. NNNN
92K010	4 x power sockets individually fused 5A with male 3 Pole Connector input & female 3 Pole Connector output. NNNN
92K003	4 x power sockets one neon switch, individually fused 3.15A with male 3 Pole Connector input & female 3 Pole Connector output. NNNN
92K009	4 x power sockets one neon switch, individually fused 5A with male 3 Pole Connector input & female 3 Pole Connector output. NNNN
92K001	6 x power sockets one neon switch, individually fused 3.15A with male 3 Pole Connector input. NNNNNW

All products have 300mm earth lead to M5 ring

Socket Orientation: N – is North, E – is East & W – is West

sales line: +44 (0)1865 920220

Elite+ data module

A new separate data module has been designed specifically for separate IT requirements to be accommodated, allowing customers to configure their own data needs without the associated risks of exposure to an opened power module.

* can also accommodate Cat6a Data sockets (available on request)

Code	Description
92K014	Separate Data Module x 4 compartment - Empty Shell
92K015	2 x RJ45 CAT5e data sockets with 3m data lead
92K017	4 x RJ45 CAT5e data sockets with 3m data lead
92K018	2 x RJ45 CAT6 data sockets with 3m data lead
92K020	4 x RJ45 CAT6 data sockets with 3m data lead

Elite power module & data

For when you need an underdesk power module that offers power and data in one.

Code	Description
92E009	2 x power sockets, 2 x RJ45 Cat5e data sockets individually fused 3.15A with 3m data lead with male 3 Pole Connector input & no output.
92E024	2 x power sockets, 2 x RJ45 Cat5e data sockets individually fused 3.15A with 5m data lead with male 3 Pole Connector input & no output.
92E029	2 x power sockets, 2 x RJ45 Cat5e data sockets individually fused 3.15A, with 5m data lead with male 3 Pole Connector input & no output
92E028	2 x power sockets, 2 x RJ45 Cat5e data sockets individually fused 3.15A, with 6m data lead with male 3 Pole Connector input & no output
92E089	2 x power sockets, 2 x RJ45 Cat5e data sockets individually fused 3.15A, with 7m data lead with male 3 Pole Connector input & no output

Elite power module & data

Code	Description
92E040	2 x power sockets, 2 x RJ45 Cat6 data sockets individually fused 3.15A, with 3m data lead with male 3 Pole Connector input & no output
92E205	2 x power sockets, 2 x RJ45 Cat6 data sockets individually fused 3.15A, with 4m data lead with male 3 Pole Connector input & no output
92E214	2 x power sockets, 2 x RJ45 Cat6 data sockets individually fused 3.15A, with 5m data lead with male 3 Pole Connector input & no output
92E172	2 x power sockets, 2 x RJ45 Cat6 data sockets individually fused 3.15A, with 6m data lead with male 3 Pole Connector input & no output
92E215	2 x power sockets, 2 x RJ45 Cat6 data sockets individually fused 3.15A, with 7m data lead with male 3 Pole Connector input & no output
92E031	4 x power sockets, 2 x RJ45 Cat5e data sockets One Neon Switch, individually fused 3.15A, with 3m data lead with male 3 Pole Connector input & no output
92E055	4 x power sockets, 2 x RJ45 Cat5e data sockets One Neon Switch, individually fused 3.15A, with 4m data lead with male 3 Pole Connector input & no output
92E038	4 x power sockets, 2 x RJ45 Cat5e data sockets One Neon Switch, individually fused 3.15A, with 5m data lead with male 3 Pole Connector input & no output
92E112	4 x power sockets, 2 x RJ45 Cat5e data sockets One Neon Switch, individually fused 3.15A, with 6m data lead with male 3 Pole Connector input & no output
92E053	4 x power sockets, 2 x RJ45 Cat5e data sockets One Neon Switch, individually fused 3.15A, with 7m data lead with male 3 Pole Connector input & no output
92E059	4 x power sockets, 2 x RJ45 Cat6 data sockets One Neon Switch, individually fused 3.15A, with 3m data lead with male 3 Pole Connector input & no output
92E079	4 x power sockets, 2 x RJ45 Cat6 data sockets One Neon Switch, individually fused 3.15A, with 4m data lead with male 3 Pole Connector input & no output
92E129	4 x power sockets, 2 x RJ45 Cat6 data sockets One Neon Switch, individually fused 3.15A, with 5m data lead with male 3 Pole Connector input & no output
92E162	4 x power sockets, 2 x RJ45 Cat6 data sockets One Neon Switch, individually fused 3.15A, with 6m data lead with male 3 Pole Connector input & no output
92E117	4 x power sockets, 2 x RJ45 Cat6 data sockets One Neon Switch, individually fused 3.15A, with 7m data lead with male 3 Pole Connector input & no output

All products have 300mm earth lead to M5 ring

Accessories

Cables & Connectors

Connector system for use with power modules, giving quick and simple installation.

Key features

- 3 pole male and female pre-moulded connectors with 1.5mm² cable
- Available in black or white
- Custom lengths available on request in 0.5 metre increments up to 10 metres
- Connectors comply with BS 5733
- Separate system for dedicated power supplies can be supplied upon request

Starter Cable 13A UK Plug to Female 3 Pole Connector (ST18/3)

Length	Black Code	White Code*
1m	600001	600197
1.5m	600002	600198
2m	600003	600011
2.5m	600004	600911
3m	600005	600013
3.5	600006	600912
4m	600007	600669
5m	600008	600566
6m	600009	600599
7m	600010	600918
8m	600029	600919
9m	600031	600920
10m	600084	600910

*subject to availability

Male 3 Pole Connector (ST18/3) to Female 3 Pole Connector (ST18/3)

Length	Black Code	White Code*
0.3m	620009	620018
0.5m	620010	620019
1m	620011	620020
1.5m	620012	620021
2m	620013	620022
2.5m	620014	620023
3m	620015	620024
3.5m	620016	620025
4m	620017	620026

*subject to availability

Earth Kit

Earth leads can be provided for connection to the modules and for earth bonding between metal framed furniture, in accordance with BS 6396:2008 where relevant. These are available in a variety of lengths and terminations.

Length	Code
200mm	640199
300mm	640200
500mm	640201


Consisting of earth cable, M5 ring terminal on both ends & screws

Cable Locking Clips, Connectors, Blanking Plugs & Earth Leads

16 Series Self-Fit Connectors


Suitable for terminating cables to produce mains or connector leads. We recommend that only the female is used for mains input lead applications. These connectors are rated at 16 Amps, we recommend that 1.5mm² cable diameter is used for assembly purposes

Self fit connector	Black	White
male	160054	160055
female	160045	160049



16 Series Cable Locking Clip

Black	White*
160035	160400



16 Series Connector Blocks

key features

- 1 Male inlet to 1 Female outlet to connect modules together without a cable
- 2 Connector blocks are required per connection
- Colour options, black or white

Black	White*
160004	160005




16 Series Mains Splitter

key features

- 1 Male inlet to 3 Female outlets, with fixing lugs, black or white

Mains splitter	Black	White*
standard	160008	160011
extended in height	160312	160009


(to suit the self fit connectors)



16 Series Blanking Plugs

Plug	Black	White*
male	160020	160021
female	160018	160019

*subject to availability



usb/bluetooth hub

Struggling for USB sockets on your desk...

...not enough on your computer either?

Now there is a far more cost effective way to obtain additional USB capacity than to upgrade your entire system with our powered USB hub. This is an additional option for your desktop power solution where no additional power supply is required. The USB Hub allows you to connect multiple USB devices combined with the additional feature of Bluetooth – you can make the most of your everyday technology within easy reach of your desktop. So start your working day the easy way with the integrated USB hub.

Features

- Integrated Universal Power supply Input 100/240V 50/60Hz 0.2A, Output 5V 1A
- Factory fitted external power supply fly lead for additional external power supply (if required)
- Optional integrated Bluetooth
- LED indicators for USB and Bluetooth
- Colour: Black (Grey is also available, please ask for details)
- No separate power connection as standard
- Fits all standard desk top modules as well as Conti Connect (except Shuttle)
- Compatible with all international socket types, e.g. Schuko
- Bluetooth (if fitted) secured internally avoiding theft
- Can supply up to 1A total to 4 external devices as standard
- An additional 1A external Power supply is available if required (13A UK only)

*USB/Bluetooth component only available when ordering any new desktop power module. Prices shown below are for USB hubs only.

Code	Description
161002	Powered USB Hub Component*
410326	Powered USB Hub Component with Bluetooth*

Conti connect power module

Conti connect is a complete configurable desk power system, designed specifically to meet the increasing power and communication needs of the modern office. Modules have been designed with speed of installation and flexibility in mind. Its many unique design features enable a vast choice of power and data options to fulfil most specifications. A choice of either metal or plastic extrusion is available.

key features

- **Construction**
 - Plastic (89 Series)
 - Metal (86 Series)
- **In-feeds**
 - Tap Offs
 - Hard Wired to mains cable (3 & 4 pole) in 1.5mm², 2.5mm² & 4.0mm²
 - SY cable 1.5mm² & 2.5mm² 16mm & 20mm Flexible conduit (i.e. tap off)
 - Connector block 16A & 32A (for self wiring)
 - 3 Pole Connector Panel mount (3 & 4 pole)
 - Neutrik Panel mount (16A & 32A)
 - GST/ST connectors
- **Out-feeds**
 - 3 & 4 Pole Connector
- **Protection**
 - Std 13A mains fuse (10A & 13A)
 - MCB (various std ratings)
 - RCD/RCBO (various std ratings)
 - Surge Filter
 - Mains conditioning filter
 - RFI filter
- **Switching**
 - Neon indicator
 - Single pole (with & without neon)
 - Double pole (with & without neon)
- **Data**
 - RJ11
 - RJ45 (Cat5e & Cat 6)
 - LJ6C (telecom)
- **Sockets**
 - Std UK 45° & 90°
 - Std UK fused 45° & 90° (3.15A & 5A)
 - T-earth 90°
 - T-earth 90° fused (3.15A & 5A)
 - Round-earth 90°
 - Round earth fused 45° & 90° (3.15A & 5A)
 - German (schuko)
 - French / Belgium
 - Italian
 - Swiss
 - American
 - African 6A
 - Israeli
 - Danish
 - Indian
 - Japanese
 - IEC 320 (10A & 16A)
- **Other**
 - USB
 - 3.5mm Audio
 - Phono Socket
 - SVGA
 - S Video
 - DVI
 - HDMI
 - Co Axial
 - 9 Pin 'D Type'
 - F Type Connector

Conti connect power module

Power & data

Sockets - a world of choice...

British Power Sockets

Round Earth Sockets

With 3.15A or 5A Anti Surge Fuse

With 3.15A or 5A Anti Surge Fuse

'T' Earth Sockets

International Power Sockets

With 3.15A or 5A
Anti Surge Fuse

With 3.15A or 5A
Anti Surge Fuse

With 3.15A or 5A
Anti Surge Fuse

Others available on request

French/Belgium

German

Italian

Swiss

American

Australian

African 6A

Israeli

Danish

Indian

IEC 320 (10A & 16A)

3 Pole
Connector

Data, Telecommunications & AV Sockets

RJ11 Telephone
Shuttered

RJ45 Data Shuttered
(Cat5e & Cat6)

LJ6C (BT)
Telephone Shuttered

Ethernet (Thin wire)
BNC (50 & 75 ohm imp)

Co Axial

D Type Data (9 pin)

SVGA (15 pin)

3.5mm Audio

USB

S Video

Phono

HDMI

DVI

more than a power module

Footprint is a system that gives the user total control. Connecting appliances to the Footprint power module will allow users to collate energy usage data, monitor activity levels and schedule power.

The footprint system comprises of 4 basic elements

1 the master socket with built in smart meter

The master socket - is a dedicated outlet which controls the provision of power to the auxiliary sockets depending upon operational mode. The in built smart meter - measures and transmits highly accurate consumption data.

2 the gateway

The Gateway is the hub of the system, employing the latest low power wireless technology, Zigbee®. Zigbee® has been designed for wireless mesh networking enabling devices to feed information to one another in real time. Due to its versatile nature, the mesh network also means that if one device fails, the system will continue to operate.

4 the dashboard

The control centre of operations, the Dashboard will allow users from all levels to monitor their activities and get involved. The Dashboard will collect energy usage and display it as usable data in the form of expenditure, CO2, and kwh used. Not only a monitoring tool, the Dashboard system allows you to control the entire system.

Units	<100	101-250	251-499	500+
Price	£99*	£249*	"499*	£1 per unit*

* Per annum. Other configurations are available on request - just call us!

3 the powerstrip

The power strip allows users to connect up to 3 appliances, making them smart, energy conscious and controllable. Using the recognised low power wireless technology of Zigbee™, the power strip communicates wirelessly to the Gateway allowing for energy monitoring and device control. The power strips are pre-configured to connect to the Gateway with minimal consumer set-up. Zigbee™ has been designed for wireless mesh networking enabling hundreds of devices to talk to each other, and it is the next generation global standard for real time remote controller and metering applications.

Extra One Off Charges:

Access up to 2 additional years of data - £99.00
 Customisation for corporate branding & styling purposes (simple logo change) - £250.00
 Further personalisation is available on request.

Code	Description
86E304	1 x power strip
161180	1 x gateway

sales line: +44 (0)1865 920220

Horizon power module

The horizon through desk module offers accessible power and data sockets at the desk top. This unit fits flush into the desk top with an angular and smooth aesthetic finish. The horizon's lid retracts to allow access from both sides, when opened it lifts and locks proud of the desk surface which makes it ideal for use in boardrooms or conference tables. Horizon is finished in Fusion Silver.

Code	Description
96P039	2 x power sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug.
96P010	4 x power sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug.
96U003	2 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug and 3m data lead.
96U103	4 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug and 3m data lead.
96H002	2 x power sockets, 2 x RJ45 Cat5e, 1 x VGA, 1 x Mini Jack 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug and 3m data lead.
96H018	2 x power sockets, 2 x RJ45 Cat6, 1 x VGA, 1 x Mini Jack 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug and 3m data lead.

Affinity power module

Affinity module offers the convenience of power and data at the desktop when you need it and an uncluttered work surface when you don't. It is a concealed unit that can function in the open or closed position.

Code	Description
85PG01	2 x power sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug.
85PG03	4 x power sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug.
85UG01	2 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug and 3m data lead.
85U271	4 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 3m mains to male 3 Pole Connector plug and 3m data lead.
85HG01	2 x power sockets, 2 x RJ45 Cat5e data sockets, 1 x 15 pin SVGA socket, 1 x 3.5mm stereo jack 3.15A individually fused, supplied with 3m lead to 13A plug, 3m data lead, 3m lead to 15 pin SVGA plug and 3m lead to 3.5mm stereo plug.
85HG02	2 x power sockets, 2 x RJ45 Cat6 data sockets, 1 x 15 pin SVGA socket, 1 x 3.5mm stereo jack 3.15A individually fused, supplied with 3m lead to 13A plug, 3m data lead, 3m lead to 15 pin SVGA plug and 3m lead to 3.5mm stereo plug.

NB. Please note that any length of power lead includes the 125mm internal length required for termination. E.G . a 3m prewired power lead will be approximately 2.875m long.

Eclipse power module

A through desk power and data module that pulls up from the work surface and pushes back down to a flush position when not in use.

Code	Description
83P003	2 x power sockets 3.15A individually fused, supplied with 3m lead to 13A plug.
83P052	4 x power sockets 3.15A individually fused, supplied with 3m lead to 13A plug.
83U016	2 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 3m lead to 13A plug and 3.5m data lead.
83U085	2 x power sockets, 2 x RJ45 Cat6 data sockets 3.15A individually fused, supplied with 3m lead to 13A plug and 3.5m data lead.
83H069	2 x power sockets, 2 x RJ45 Cat5e data sockets, 1 x 15 pin SVGA socket, 1 x 3.5mm Mini jack 3.15A individually fused, supplied with 3m lead to 13A plug, 3.5m data lead, 3.5m lead to 15 pin SVGA plug and 3.5m lead to 3.5mm stereo jack.
83H075	2 x power sockets, 2 x RJ45 Cat6 data sockets, 1 x 15 pin SVGA socket, 1 x 3.5mm Mini jack 3.15A individually fused, supplied with 3m lead to 13A plug, 3.5m data lead, 3.5m lead to 15 pin SVGA plug and 3.5m lead to 3.5mm stereo jack.
660004	Eclipse desk cable outlet 115mm diameter.

Shuttle^R power module

A through desk power and data module that pulls up from the work surface and pushes back down to a flush position when not in use. Designed for 80mm cutout.

NB. Please note that any length of power lead includes the 125mm internal length required for termination. E.G. a 3m prewired power lead will be approximately 2.875m long.

Top View Concealed
Pull up handle

Code	Description
88P048	2 x power sockets 3.15A individually fused, supplied with 3m lead to 13A plug.
88P060	4 x power sockets 3.15A individually fused supplied with 3m lead to 13A plug
88U006	2 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 3m lead to 13A plug and 3.5m data lead.
88U079	2 x power sockets, 2 x RJ45 Cat6 data sockets 3.15A individually fused, supplied with 3m lead to 13A plug and 3.5m data lead.

Harmony power module

Harmony is a versatile desk power solution, specifically designed to meet the increasing power and everyday communication needs of a working office. The harmony features integral fuses which are fully compliant to current safety regulations and is configured with segregated power & data choices to suit different workstation requirements. Harmony can be used in conjunction with our under desk modules to provide greater power solutions and is fitted to the edge of desk with 'C' clamps making it functional yet non-intrusive to the working desk.


Silver extrusion with black fascias

All Black	Code			Description
	Black Sockets Silver Body	Grey Sockets Silver Body	White Sockets Silver Body	
84PS02	84PS01	84P656	84P642	2 x power sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug.
84PS06	84PS05	84P670	84P671	4 x power sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug.
84US02	84US01	84U1312	84U1441	2 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug and 3m data lead.
84US04	84US03	84U1567	84U1568	4 x power sockets, 2 x RJ45 Cat5e data sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug and 3m data lead.

Adhesive Fixing Kit

Adhesive Kit, 1 Kit required per module


Code
440006



'C' Clamp - Standard

2 x 'C' Clamps recommended for any modules with 2 sockets.

Code
440005



NB. Please note that any length of power lead includes the 125mm internal length required for termination. E.G . a 3m prewired power lead will be approximately 2.875m long.

Wedge power module

Wedge is a more stylish compact version for desk power, specifically designed to meet the increasing power and everyday communication needs of a working office. It has many design features like integral fuses which are fully compliant to current safety regulations, with segregated power & data together with the added benefit of being installed to a slatwall/tool rail or flush to a screen/edge of desk, making it functional yet non-intrusive to the working desk.


Wedge can be used in conjunction with our under desk modules to provide greater power solutions. It is also available in a upright (Type 1) or flat format (Type 2) to suit various desking styles and demands. Upright versions are shown below with the introduction of our standard silver extrusion with grey or white socket fascias/end caps.

Code			Description
Black	Grey	White	
81PS01	81P416	81P422	2 x power sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug.
81PS02	81P424	81P456	4 x power sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug.
81US01	81U548	81U487	2 x power sockets, 2 x Cat5e data sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug
81US04	81U683	81U684	4 x power sockets, 2 x Cat5e data sockets 3.15A individually fused, supplied with 1m mains lead to male 3 Pole Connector plug

Adhesive Fixing Kit

Adhesive Kit, 1 Kit required per module


Code
440006



'C' Clamp - Standard

2 x 'C' Clamps recommended for any modules with 2 sockets.


Code
440005



Wedge Slatwall Fixing Clamp

Suitable for mounting upright wedge on a tool rail or slat wall

Code
440049



NB. Please note that any length of power lead includes the 125mm internal length required for termination. E.G . a 3m prewired power lead will be approximately 2.875m long.

sales line: +44 (0)1865 920220

Air flat screen arm

2012 showcases the launch of Air & Motion, our range of new monitor arms that are British designed & built. Enhancing upon our existing technology and expertise, the new arms are lightweight, more streamline, designed with a modern twist, but just as practical on your desktop.

Chrome effect
arm shown with C
Clamp fixing kit.

Black

air monitor arm
complete with head
and plastic parts

Air is a gas assisted flat screen monitor arm featuring innovative engineering and contemporary styling. It offers all the benefits you would expect of an adjustable gas lift arm with an extensive range of features. Gas assistance allows the arm to move freely and effortlessly across the desk, positioning your screen to your natural position.

Code	Description
68G001	Air monitor arm in Fusion Silver with head and grey plastic parts (fixing kit sold separately)
68G002	Air monitor arm in Chrome effect finish with head and white plastic parts (fixing kit sold separately)
68G003	Air monitor arm in CMD Black with head and black plastic parts (fixing kit sold separately)
68G004	Air monitor arm in CMD White with head and grey plastic parts (fixing kit sold separately)

Choose a fixing kit

Black

Slatwall
Fusion
Silver

White

Chrome effect

Code	Description
C-Clamp fixing kit for Ait Monitor Arm	
68k001	Air C Clamp fixing kit in Fusion Silver with grey plastic parts
68K002	Air C Clamp fixing kit in Chrome effect finish with white plastic parts
68K003	Air C Clamp fixing kit in CMD Black with black plastic parts
68K004	Air C Clamp fixing kit in CMD White with black plastic parts
Through Desk fixing kit for Air Monitor Arm	
65k005	Air Through Desk fixing kit in Fusion Silver with grey plastic parts
65k006	Air Through Desk fixing kit in Chrome effect finish with white plastic parts
65k007	Air Through Desk fixing kit in CMD Black with black plastic parts
65k008	Air Through Desk fixing kit in CMD White with black plastic parts
Universal Slatwall Bracket for Air Monitor Arm	
65k009	Universal Slatwall Bracket in Fusion Silver
65k0010	Universal Slatwall Bracket in Chrome effect
65k0011	Universal Slatwall Bracket in Black
65k0012	Universal Slatwall Bracket in White

Motion Arm

Motion is the ever practical pole arm that offers the ergonomic benefits of a monitor arm yet more affordable than its more prestigious Air gas sibling.

Motion is available in a single and double arm configuration making it ideal for those who work in close proximity, or for the individual user who has two screens. It can also be selected with no arm, ideal for reception areas & point of sale locations.

motion monitor arm complete with head and plastic parts.

C Clamp Fixing Kit (sold separately)

Fusion Silver

Black

White

Code	Description
68P001	Motion arm in Fusion Silver with grey plastic parts (fixing kit sold separately).
68P002	Motion arm in Chrome effect finish with white plastic parts (fixing kit sold separately).
68P003	Motion arm in CMD Black with black plastic part (fixing kit sold separately).
68P004	Motion arm in CMD White with black plastic part (fixing kit sold separately).

